

50x50x15 mm

2.6~5.4 CFM




■ Specification


| Model               | Bearing      | Rated Voltage | Power Current | Power Consumption | Speed | Airflow | Static Pressure         | Noise   | Weight | Curve |
|---------------------|--------------|---------------|---------------|-------------------|-------|---------|-------------------------|---------|--------|-------|
|                     | 2BALL Sleeve | (VDC)         | (mA)          | (WATTS)           | (RPM) | (CFM)   | (inch-H <sub>2</sub> O) | (dB(A)) | (g)    |       |
| EF50151BX-1B000-A99 | ☯            | 12            | 150           | 1.80              | 6200  | 5.4     | 0.97                    | 45.8    | 31.0   | 1     |
| EF50151B1-1B000-A99 | ☯            | 12            | 106           | 1.28              | 5200  | 4.5     | 0.67                    | 41.0    | 31.0   | 2     |
| EF50151B2-1B000-A99 | ☯            | 12            | 54            | 0.65              | 4200  | 3.5     | 0.40                    | 34.0    | 31.0   | 3     |
| EF50151B3-1B000-A99 | ☯            | 12            | 36            | 0.44              | 3200  | 2.6     | 0.18                    | 26.0    | 31.0   | 4     |

■ Function    R Type : F99   /   F Type : G99

■ Air Flow-Static Pressure Characteristics



■ External dimensions(mm)



50x50x20 mm

4.8~5.8 CFM




#### ■ Specification


|  | Bearing | Rated Voltage | Power Current | Power Consumption | Speed | Airflow | Static Pressure         | Noise   | Weight | Curve |
|-----------------------------------------------------------------------------------|---------|---------------|---------------|-------------------|-------|---------|-------------------------|---------|--------|-------|
|                                                                                   | ● VAPO  | (VDC)         | (mA)          | (WATTS)           | (RPM) | (CFM)   | (inch-H <sub>2</sub> O) | (dB(A)) | (g)    |       |
| MF50201V1-1B000-A99                                                               | ●       | 12            | 124           | 1.49              | 5300  | 5.8     | 0.66                    | 34.8    | 34.0   | 1     |
| MF50201V2-1B000-A99                                                               | ●       | 12            | 100           | 1.20              | 4650  | 5.1     | 0.46                    | 30.0    | 34.0   | 2     |
| MF50201V3-1B000-A99                                                               | ●       | 12            | 75            | 0.90              | 4350  | 4.8     | 0.35                    | 27.5    | 34.0   | 3     |

■ Function R Type : F99 / F Type : G99

#### ■ Air Flow-Static Pressure Characteristics




#### ■ External dimensions(mm)



60x60x15 mm

5.1~6.2 CFM




■ Specification

|  | Bearing | Rated Voltage | Power Current | Power Consumption | Speed | Airflow | Static Pressure         | Noise   | Weight | Curve |
|-----------------------------------------------------------------------------------|---------|---------------|---------------|-------------------|-------|---------|-------------------------|---------|--------|-------|
|                                                                                   | ● VAPO  | (VDC)         | (mA)          | (WATTS)           | (RPM) | (CFM)   | (inch-H <sub>2</sub> O) | (dB(A)) | (g)    |       |
| MF60151VX-1B000-A99                                                               | ●       | 12            | 130           | 1.56              | 4500  | 6.2     | 0.71                    | 37.7    | 36.0   | 1     |
| MF60151V1-1B000-A99                                                               | ●       | 12            | 75            | 0.90              | 4000  | 5.7     | 0.46                    | 32.8    | 36.0   | 2     |
| MF60151V2-1B000-A99                                                               | ●       | 12            | 55            | 0.66              | 3600  | 5.1     | 0.33                    | 29.0    | 36.0   | 3     |

■ Function    R Type : F99   /   F Type : G99

■ Air Flow-Static Pressure Characteristics



■ External dimensions(mm)

